

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 08/26/2022

Reviewed on 08/26/2022

1 Identification

- **Product identifier**
- **Trade name:** KS500 - 0.08M EDTA / Vario Hardness EDTA 0.08M
- **Catalogue number:** 56Z050098, 56U050013, 56L050013, DT020-01
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- **Classification of the substance or mixture** The product is not classified as hazardous.
- **Label elements**
- **GHS label elements** none
- **Hazard pictograms** none
- **Signal word** none
- **Hazard statements** none
- **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** aqueous solution
- **Composition and Information on Ingredients:**
none
Percent ranges are used due to the confidential product information.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes (at least 15 min) under running water.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
The product is not combustible.

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/26/2022

Reviewed on 08/26/2022

Trade name: **KS500 - 0.08M EDTA / Vario Hardness EDTA 0.08M**

(Contd. of page 1)

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NO_x)

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Advice for non-emergency personnel:** No special measures required.

· **Advice for emergency responders:** Protective equipment: see section 8

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Dilute with plenty of water.

· **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**

· **Advice on safe handling:** No special precautions are necessary if used correctly.

· **Hygiene measures:**

The usual precautionary measures for handling chemicals should be followed.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and at the end of work.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

· **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

· **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See item 7.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/26/2022

Reviewed on 08/26/2022

Trade name: KS500 - 0.08M EDTA / Vario Hardness EDTA 0.08M

(Contd. of page 2)

- **Personal protective equipment:**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- **Breathing equipment:**

Under normal use conditions according to the instruction manual no personal protective equipment is needed.

If exposure limits are exceeded or health impacts are experienced use respiratory protective device against the effects of fume/dust/aerosol.

- **Recommended filter device for short term use:** Filter P1

- **Protection of hands:**

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- **Penetration time of glove material**

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Safety glasses

use against the effects of fumes / dust

Use protective goggles that have been tested and approved in accordance with government standards (like NIOSH).

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment:**

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

- **Form / Physical state:**

Solution

- **Color:**

Colorless

- **Odor:**

Odorless

- **Odor threshold:**

Not applicable.

- **pH-value at 20°C (68°F):**

4.5

- **Melting point/freezing point:**

Not determined.

- **Initial boiling point and boiling range:** 100°C (212°F) (CAS: 7732-18-5 water)

- **Flash point:**

Not applicable.

- **Flammability (solid, gas):**

The product is not combustible.

- **Ignition temperature:**

Not applicable.

- **Decomposition temperature:**

Not determined.

- **Auto-ignition temperature:**

Product is not self-igniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

- **Flammability or explosive limits:**

- **Lower:**

Not applicable.

- **Upper:**

Not applicable.

- **Oxidizing properties:**

none

- **Vapor Pressure:**

Not determined.

- **Density at 20°C (68°F):**

1 g/cm³ (8.35 lbs/gal)

- **Relative density:**

Not determined.

- **Vapor density:**

Not determined.

- **Evaporation rate:**

Not determined.

- **Solubility(ies)**

- **Water:**

Fully miscible.

- **Partition coefficient (n-octanol/water):** Not applicable (mixture).

- **Viscosity:**

Not determined.

- **Kinematic:**

Not determined.

- **Other information**

- **Solids content:**

< 5 %

- **Solvent content:**

- **Organic solvents:**

0 %

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/26/2022

Reviewed on 08/26/2022

Trade name: KS500 - 0.08M EDTA / Vario Hardness EDTA 0.08M

(Contd. of page 3)

· Water:	> 95 %
-----------------	--------

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
Violent reactions possible with:
The generally known reaction partners of water.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** see section 5

* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** No sensitizing effects known.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients is listed.

- **Other information:** see section 8 / 15

- **Synergistic Products:** None

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Other information** No further relevant information available.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Other adverse effects** Avoid transfer into the environment.

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/26/2022

Reviewed on 08/26/2022

Trade name: KS500 - 0.08M EDTA / Vario Hardness EDTA 0.08M

(Contd. of page 4)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, IMDG, IATA	none
· UN proper shipping name	
· DOT, IMDG, IATA	none
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	none
· Packing group	
· DOT, IMDG, IATA	none
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (Extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· New Jersey Right-to-Know List:
None of the ingredients is listed.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/26/2022

Reviewed on 08/26/2022

Trade name: **KS500 - 0.08M EDTA / Vario Hardness EDTA 0.08M**

(Contd. of page 5)

· New Jersey Special Hazardous Substance List:
None of the ingredients is listed.
· Pennsylvania Right-to-Know List:
None of the ingredients is listed.
· Pennsylvania Special Hazardous Substance List:
None of the ingredients is listed.
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
· Information about limitation of use: Not required.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 08/26/2022 / 6

· **Abbreviations and acronyms:**

EC50: effective concentration, 50 percent (in vivo)
 STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ACGIH® - American Conference of Governmental Industrial Hygienists
 •A1 - Confirmed human carcinogen
 •A2 - Suspected human carcinogen
 •A3 - Confirmed animal carcinogen with unknown relevance to humans
 •A4 - Not classifiable as a human carcinogen
 •A5 - Not suspected as a human carcinogen
 IARC - International Agency for Research on Cancer
 •Group 1 - Carcinogenic to humans
 •Group 2A - Probably carcinogenic to humans
 •Group 2B - Possibly carcinogenic to humans
 •Group 3 - Not classifiable as to carcinogenicity to humans
 •Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 •Group K - Known to be Human Carcinogens
 •Group R - Reasonably Anticipated to be Human Carcinogens
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit

· **Sources** Data arise from safety data sheets, reference works and literature.

· *** Data compared to the previous version altered.**

— US —