

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

1 Identification

- **Product identifier**
- **Trade name:** Vario Nitri 3 F10 25 ml
- **Catalogue number:** 00530989, 00530979, 530970, 530973, 530980, 530982
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Application of the substance / the mixture:** Reagent for water analysis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

* 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
dipotassium disulfate
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P261 Avoid breathing dust.
P280 Wear protective gloves/protective clothing/eye protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
P310 Immediately call a doctor.
- **Other hazards** No further relevant information available.

* 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of organic and inorganic compounds

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

Trade name: Vario Nitri 3 F10 25 ml

(Contd. of page 1)

Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 7790-62-7 EINECS: 232-216-8	dipotassium disulfate ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318	5–10%
CAS: 5808-22-0 EINECS: 204-972-9	Disodium 4,5-dihydroxynaphthalene-2,7-disulphonate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	0.1–≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**· **General information:** Immediately remove any clothing soiled by the product.· **After inhalation:**

Supply fresh air.

Call a doctor immediately.

· **After skin contact:**

Immediately rinse with plenty of water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· **After eye contact:**

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· **After swallowing:**

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed**

burns

after swallowing:

sickness

vomiting

abdominal pain

diarrhoea

general feeling of sickness

· **Danger:** Danger of pulmonary edema.· **Indication of any immediate medical attention and special treatment needed:**

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

· **Extinguishing media**· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.· **Special hazards arising from the substance or mixture**

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Phosphorus oxides (PxOx)

Potassium oxide

· **Advice for firefighters**· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**· **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

Trade name: Vario Nitri 3 F10 25 ml

(Contd. of page 2)

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

· **Advice for emergency responders:** Protective equipment: see section 8· **Environmental precautions:** Do not allow product to reach sewage system or any water course.· **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**· **Precautions for safe handling**· **Advice on safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Thorough dedusting.

Prevent formation of dust.

· **Hygiene measures:**

Do not inhale dust / smoke / mist.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

· **Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:** Store in a cool location.· **Information about storage in one common storage facility:** Store away from oxidizing agents.· **Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

· **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation were used as basis.· **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See item 7.

· **Personal protective equipment:**· **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.· **Protection of hands:**

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm· **Penetration time of glove material**Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Tightly sealed goggles

(Contd. on page 4)

— US —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

Trade name: Vario Nitri 3 F10 25 ml

(Contd. of page 3)

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**
Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· Appearance:	
Form / Physical state:	Powder
Color:	Light beige
· Odor:	Odorless
· Odor threshold:	Not applicable.
· pH-value at 20 °C (68 °F):	3,1
· Melting point/freezing point:	Not determined.
· Initial boiling point and boiling range:	Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	The product is not combustible.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Flammability or explosive limits:	
	Lower: Not applicable.
	Upper: Not applicable.
· Oxidizing properties:	none
· Vapor Pressure:	Not applicable.
· Density:	Not determined.
· Relative density:	Not determined.
· Vapor density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility(ies)	
	Water: Partially insoluble.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	Not applicable.
· Solvent content:	
	Organic solvents: 0,0 %
	Solids content: 100 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
Aqueous solution reacts acidic.
Reacts with acids, alkalis and oxidizing agents.
--> Forms heat.
- **Conditions to avoid** Strong heating (decomposition)
- **Incompatible materials:** metals
- **Hazardous decomposition products:** see section 5

— US —
(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

Trade name: Vario Nitri 3 F10 25 ml

(Contd. of page 4)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· **Acute toxicity estimate (ATE_(MIX)) - Calculation method:**

Inhalative	GHS ATE _(MIX)	5.1 mg/l/4h (dust)
------------	--------------------------	--------------------

- **LD/LC50 values that are relevant for classification:**

CAS: 7790-62-7 dipotassium disulfate

Oral	LD50	2500 mg/kg (ATE) (Read across 7664-93-9: LD ₅₀ (rat) = 2140 mg/kg, ECHA)
Inhalative	LC50	0.5 mg/l/4h (ATE) (Aerosol) (Read across 7664-93-9: LD ₅₀ (rat, 4h) = ~ 850 mg/m ³ , ECHA)

- **Primary irritant effect:**
- **on the skin:** Causes severe skin burns.
- **on the eye:**
Causes serious eye damage.
Risk of blindness!
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Other information:** see section 8 / 15

- **Synergistic Products:** None

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Bacterial toxicity:** sulfates toxic > 2.5 g/l
- **Other information:**
Toxic for fish:
sulfates > 7 g/l
- **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential**

CAS: 5808-22-0 Disodium 4,5-dihydroxynaphthalene-2,7-disulphonate

log Pow	-4.48 (.) (calculated) (anhydrous substance)
---------	---

- **Mobility in soil** No further relevant information available.
- **Other adverse effects**
Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of water supplies.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

Trade name: Vario Nitri 3 F10 25 ml

Avoid transfer into the environment.

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to hazardous waste disposers.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	UN3260
· DOT, ADR, IMDG, IATA	
· UN proper shipping name	
· DOT	Corrosive solid, acidic, inorganic, n.o.s. (dipotassium disulfate)
· ADR	3260 Corrosive solid, acidic, inorganic, n.o.s. (dipotassium disulfate)
· IMDG, IATA	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (dipotassium disulfate)
· Transport hazard class(es)	
· Class	8 Corrosive substances
· Label	8
· ADR	
	
· Class	8 (C2) Corrosive substances
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantity (LQ):	1 kg
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

Trade name: Vario Nitri 3 F10 25 ml

(Contd. of page 6)

· IMDG	
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g

* 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· Other Regulations

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals:

None of the ingredients is listed.

- **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 11/03/2017

Reviewed on 11/03/2017

Trade name: Vario Nitri 3 F10 25 ml

(Contd. of page 7)

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

• **Date of preparation / last revision** 11/03/2017 / 30• **Abbreviations and acronyms:**

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen

•A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans

•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans

•Group 4 - Probably not carcinogenic to humans

NTP - National Toxicology Program, U.S. Department of Health and Human Services

•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• **Sources**

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency <http://echa.europa.eu>• *** Data compared to the previous version altered.**

— US —