

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2021

Reviewed on 08/23/2021

1 Identification

- **Product identifier**
- **Trade name:** Vario EDTA Solution 1M
- **Catalogue number:** 424328, 531470, 531470-0
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
tetrasodium ethylenediaminetetraacetate
- **Hazard statements**
H318 Causes serious eye damage.
- **Precautionary statements**
P280 Wear eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
- **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** aqueous solution
- **Composition and information on Ingredients:**
Percent ranges are used due to the confidential product information.

CAS: 64-02-8	tetrasodium ethylenediaminetetraacetate	25–35%
EINECS: 200-573-9	Eye Dam. 1, H318; Acute Tox. 4, H302	
Index number: 607-428-00-2		
RTECS: AH 5075000		

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2021

Reviewed on 08/23/2021

Trade name: Vario EDTA Solution 1M

CAS: 50-00-0 EINECS: 200-001-8 Index number: 605-001-00-5 RTECS: LP 8925000	(Contd. of page 1) formaldehyde ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ☠ Muta. 2, H341; Carc. 1B, H350; ☠ Skin Corr. 1B, H314; ☠ Skin Sens. 1, H317; Flam. Liq. 4, H227	<0.1%
--	--	-------

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately rinse with plenty of water.
If skin irritation or rash occurs: Get medical advice/attention.
- **After eye contact:**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
Irritation and corrosion
after swallowing:
sickness
vomiting
gastric or intestinal disorders
- **Danger:** Risk of serious damage to eyes.
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Nitrogen oxides (NOx)
Carbon monoxide (CO) and carbon dioxide (CO₂)
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Advice for emergency responders:** Protective equipment: see section 8
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2021

Reviewed on 08/23/2021

Trade name: Vario EDTA Solution 1M

(Contd. of page 2)

- **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**

Advice on safe handling: No special precautions are necessary if used correctly.

- **Hygiene measures:**

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- **Conditions for safe storage, including any incompatibilities**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Unsuitable material for container: metals, metal alloys

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See item 7.

- **Personal protective equipment:**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- **Breathing equipment:** Use respiratory protective device against the effects of fume/dust/aerosol.

- **Recommended filter device for short term use:** Filter P2

- **Protection of hands:**

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- **Penetration time of glove material**

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment:**

Do not allow product to reach sewage system or any water course.

— US —
(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2021

Reviewed on 08/23/2021

Trade name: Vario EDTA Solution 1M

(Contd. of page 3)

9 Physical and chemical properties

- Information on basic physical and chemical properties
- Appearance:
- Form / Physical state: Solution
- Color: Colorless
- Odor: Odorless
- Odor threshold: Not applicable.
- pH-value at 20°C (68°F): 10.4
- Melting point/freezing point: Not determined.
- Initial boiling point and boiling range: Not determined.
- Flash point: Not applicable.
- Flammability (solid, gas): The product is not combustible.
- Ignition temperature: Not applicable.
- Decomposition temperature: > 150°C (> 302°F)
- Auto-ignition temperature: Product is not self-igniting.
- Danger of explosion: Product does not present an explosion hazard.
- Flammability or explosive limits:
- Lower: Not applicable.
- Upper: Not applicable.
- Oxidizing properties: none
- Vapor Pressure: Not determined.
- Density at 20°C (68°F): 1.2 g/cm³ (10.01 lbs/gal)
- Relative density: Not determined.
- Vapor density: Not determined.
- Evaporation rate: Not determined.
- Solubility(ies)
- Water: Fully miscible.
- Partition coefficient (n-octanol/water): Not applicable (mixture).
- Viscosity:
- Kinematic: Not determined.
- Other information
- Solids content: 25 - 35 %
- Solvent content:
- Organic solvents: ≤ 0.1 %
- Water: > 60 %

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions** Reacts with strong oxidizing agents.
- **Conditions to avoid** To avoid thermal decomposition do not overheat.
- **Incompatible materials:** metals
- **Hazardous decomposition products:** see section 5

11 Toxicological information

- Information on toxicological effects
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate

Oral	LD50	>1780 mg/kg (rat) (OECD 401) (ECHA)
------	------	--

- **Primary irritant effect:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:**
Causes serious eye damage.
Risk of corneal clouding.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2021

Reviewed on 08/23/2021

Trade name: Vario EDTA Solution 1M

(Contd. of page 4)

- **Sensitization:** Based on available data, the classification criteria are not met.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 50-00-0 formaldehyde

1

- **NTP (National Toxicology Program)**

CAS: 50-00-0 formaldehyde

K

- **OSHA-Ca (Occupational Safety & Health Administration)**

CAS: 50-00-0 formaldehyde

- **Other information:** see section 8 / 15

- **Synergistic Products:** None

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate

EC50 >100 mg/l/48h (Daphnia magna)

NOEC 25 mg/l /21d (Daphnia magna) (OECD 201)

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate

log Pow -13 (.)

- **Mobility in soil** No further relevant information available.

- **Other adverse effects** Avoid transfer into the environment.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**

- **DOT, IMDG, IATA**

none

- **UN proper shipping name**

- **DOT, IMDG, IATA**

none

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2021

Reviewed on 08/23/2021

Trade name: Vario EDTA Solution 1M

(Contd. of page 5)

· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	none
· Packing group	
· DOT, IMDG, IATA	none
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture		
· Sara		
· Section 355 (Extremely hazardous substances):		
None of the ingredients is listed.		
· Section 313 (Specific toxic chemical listings):		
None of the ingredients is listed.		
· TSCA (Toxic Substances Control Act):		
All components have the value ACTIVE.		
· Hazardous Air Pollutants		
CAS: 50-00-0	formaldehyde	
CAS: 67-56-1	methanol	
· Proposition 65		
· Chemicals known to cause cancer:		
CAS: 50-00-0	formaldehyde	
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:		
CAS: 67-56-1	methanol	
· New Jersey Right-to-Know List:		
CAS: 50-00-0	formaldehyde	
CAS: 67-56-1	methanol	
· New Jersey Special Hazardous Substance List:		
CAS: 50-00-0	formaldehyde	CA, CO, MU, F4
CAS: 67-56-1	methanol	TE, F3
· Pennsylvania Right-to-Know List:		
CAS: 50-00-0	formaldehyde	
· Pennsylvania Special Hazardous Substance List:		
CAS: 50-00-0	formaldehyde	ES
· EPA (Environmental Protection Agency)		
CAS: 50-00-0	formaldehyde	B1
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
CAS: 50-00-0	formaldehyde	
· Information about limitation of use: Not required.		

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2021

Reviewed on 08/23/2021

Trade name: Vario EDTA Solution 1M

(Contd. of page 6)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H227 Combustible liquid.
 H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H331 Toxic if inhaled.
 H341 Suspected of causing genetic defects.
 H350 May cause cancer.

· **Date of preparation / last revision** 08/23/2021 / -

· **Abbreviations and acronyms:**

STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ACGIH® - American Conference of Governmental Industrial Hygienists
 •A1 - Confirmed human carcinogen
 •A2 - Suspected human carcinogen
 •A3 - Confirmed animal carcinogen with unknown relevance to humans
 •A4 - Not classifiable as a human carcinogen
 •A5 - Not suspected as a human carcinogen
 IARC - International Agency for Research on Cancer
 •Group 1 - Carcinogenic to humans
 •Group 2A - Probably carcinogenic to humans
 •Group 2B - Possibly carcinogenic to humans
 •Group 3 - Not classifiable as to carcinogenicity to humans
 •Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 •Group K - Known to be Human Carcinogens
 •Group R - Reasonably Anticipated to be Human Carcinogens
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Flam. Liq. 4: Flammable liquids – Category 4
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Skin Sens. 1: Skin sensitisation – Category 1
 Muta. 2: Germ cell mutagenicity – Category 2
 Carc. 1B: Carcinogenicity – Category 1B

· **Sources** Data arise from safety data sheets, reference works and literature.