



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation Mixed ICP Standard, 1000 ppm W, Ge, U, B, Nb, Th, Ce in HNO₃/tr HF

Product Number RPMX208N

Other Identifying Product Numbers RPMX208N-250N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company

Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Skin Corrosion / Irritation	Category 1	H314	P260,P264,P280,P301+P330+P331, P303+P361+P353,P363,P304+P340, P310,P321,P305+P351+P338,P405, P501
Serious Eye Damage / Eye Irritation	Category 1	H318	P280,P305+P351+P338,P310
Corrosive to Metals	Category 1	H290	P234,P390,P406

2.2. GHS Label Elements

Pictograms:



Signal Word: Danger

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

Hazard Number	Hazard Statement
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Prevention

Precautionary Number	Precautionary Statement
P234	Keep only in original packaging.
P260	Do not breathe fumes or mist.
P264	Wash hands, arms, and face thoroughly after handling.
P280	Wear protective gloves and eye protection.

Response

Precautionary Number	Precautionary Statement
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center or doctor.
P321	Specific treatment: Treat with calcium gluconate gel.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.

Storage

Precautionary Number	Precautionary Statement
P405	Store locked up.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

2.3. Hazards not Otherwise Classified

No other hazards identified.

2.4. Ingredients of Unknown Acute Toxicity

5.7 percent of this mixture consists of ingredient(s) of unknown acute oral and dermal toxicity. 1.9 percent of this mixture consists of ingredient(s) of unknown acute inhalation toxicity.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	93.79
nitric acid	Nitric Acid	7697-37-2	3.99
azanium tetrafluoroborate	Ammonium Tetrafluoroborate; Ammonium fluoroborate	13826-83-0	0.95
diazanium hexafluorogermanate(2-)	Ammonium Hexafluorogermanate; Ammonium hexafluorogermanate(IV); Diammonium hexafluorogermanate	16962-47-3	0.30
cerium(III) nitrate hexahydrate	Cerium (III) Nitrate Hexahydrate; cerous nitrate hexahydrate	10294-41-4	0.30
thorium(4+) tetranitrate	Thorium Nitrate	13823-29-5	0.24
fluorane	Hydrofluoric Acid	7664-39-3	0.12
trioxouranium	Uranium Oxide; Uranium trioxide	1344-58-7	0.12
niobium	Niobium	7440-03-1	0.10
tungsten	Tungsten	7440-33-7	0.10

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage Caution! Corrosive liquid. Contains known and suspected carcinogens. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

4.3. Immediate Medical Attention or Special Treatment Needed

Immediately call a poison center or doctor. Specific treatment: Treat with calcium gluconate gel. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

5.3. Special Protective Equipment and Precautions for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Uranium Oxide	1344-58-7	"0.25 mg/m3 TWA (as U)" As Uranium, insoluble compounds [RR-00045-3]
Ammonium Tetrafluoroborate	13826-83-0	"2.5 mg/m3 TWA (as F)" As Fluorides [RR-02792-9]
Hydrofluoric Acid	7664-39-3	3 ppm TWA (as F)
Nitric Acid	7697-37-2	2 ppm TWA; 5 mg/m3 TWA

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

No limits found.

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

Chemical Name	CAS Number	Exposure Limit
Hydrofluoric Acid	7664-39-3	2 ppm Ceiling (as F)

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Chemical Name	CAS Number	Exposure Limit
Uranium Oxide	1344-58-7	"0.6 mg/m3 STEL (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]
Nitric Acid	7697-37-2	4 ppm STEL

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Uranium Oxide	1344-58-7	"0.2 mg/m3 TWA (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]
Ammonium Tetrafluoroborate	13826-83-0	"2.5 mg/m3 TWA (as F)" As Fluorides [RR-02792-9]
Tungsten	7440-33-7	3 mg/m3 TWA (respirable particulate matter)
Hydrofluoric Acid	7664-39-3	0.5 ppm TWA (as F)
Nitric Acid	7697-37-2	2 ppm TWA

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

8.2. Engineering Controls

No specific controls are needed. Normal room ventilation is adequate.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State: Liquid

Color: Clear, colorless to yellow-green

Odor: Data not available.

Odor Threshold: Data not available.

Melting/Freezing Point: Approximately 0°C

Boiling Point/Range: Approximately 100°C

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Flash Point: Not flammable

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

pH: <2

Kinematic Viscosity: Data not available.

Solubility: Miscible

Vapor Pressure: Data not available.

Evaporation Rate: Data not available.

Relative Density: 1.02

Relative Vapor Density: Data not available.

Particle Characteristics: Data not available.

Partition Coefficient n-octanol/water, log Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original packaging. Strong bases, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Oral acute toxicity estimate (ATE): 2080 mg/kg(calculated)

Chemical Name	CAS Number	Toxicity
Cerium (III) Nitrate Hexahydrate	10294-41-4	Oral LD50 Rat 4200 mg/kg (Source: NLM_CIP)
Uranium Oxide	1344-58-7	Oral LD50 Acute Toxicity Estimate 5 mg/kg (Source: ECHA)
Hydrofluoric Acid	7664-39-3	Oral LD50 Acute Toxicity Estimate 5 mg/kg (Source: Canada_WHMIS)

Acute Toxicity - Dermal Exposure:

No information found.

Chemical Name	CAS Number	Toxicity
Cerium (III) Nitrate Hexahydrate	10294-41-4	Dermal LD50 Rat >2000 mg/kg (Source: ECHA_API) As Cerium nitrate [10108-73-3]
Niobium	7440-03-1	Dermal LD50 Rat >2000 mg/kg (no deaths occurred, Source: ECHA_API)
Tungsten	7440-33-7	Dermal LD50 Rat >2000 mg/kg (Source: ECHA_API)

Acute Toxicity - Inhalation Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Uranium Oxide	1344-58-7	Inhalation LC50 Acute Toxicity Estimate 0.05 mg/L 4 h (Source: ECHA)
Niobium	7440-03-1	Inhalation LC50 Rat >5.45 mg/L 4 h (no deaths occurred, particulate powder, Source: ECHA_API)
Hydrofluoric Acid	7664-39-3	Inhalation LC50 Rat 0.79 mg/L 1 h (vapor, Source: JAPAN_GHS)
Nitric Acid	7697-37-2	Inhalation LC50 Rat 3.22 mg/L 4 h (Source: WHMIS)

11.2 Carcinogenicity:

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

International Agency for Research on Cancer (IARC)

Chemical Name	CAS Number	Classification
Ammonium Tetrafluoroborate	13826-83-0	Group 3 (Not Classified) - Supplement 7 [1987] (used in drinking-water); Monograph 27 [1982] As Fluorides, inorganic
Nitric Acid	7697-37-2	Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
No data found.		

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

11.3 Additional Toxicology Information:

Causes severe skin burns and eye damage.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Chemical Name	CAS Number	Species	Exposure	Toxicity
Cerium (III) Nitrate Hexahydrate	10294-41-4	Freshwater Fish	Acute	"LC50 96 h Oncorhynchus mykiss 0.3 mg/L [semi-static] (ECHA)" As Cerium nitrate [10108-73-3]
Cerium (III) Nitrate Hexahydrate	10294-41-4	Water Flea	Acute	"EC50 48 h Daphnia magna >100 mg/L (IUCLID)" As Cerium nitrate [10108-73-3]
Hydrofluoric Acid	7664-39-3	Water Flea	Acute	EC50 48 h Daphnia species 270 mg/L (IUCLID)

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 250 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.2 Transportation by Air - International Air Transport Association (IATA)

Sizes: 250 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):





Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 250 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



SECTION 15: Regulatory Information

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Hydrofluoric Acid	7664-39-3	100 lb TPQ	100 lb EPCRA RQ
Nitric Acid	7697-37-2	1000 lb TPQ	1000 lb EPCRA RQ

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Ammonium Tetrafluoroborate	13826-83-0	5000 lb final RQ; 2270 kg final RQ
Hydrofluoric Acid	7664-39-3	100 lb final RQ; 45.4 kg final RQ
Nitric Acid	7697-37-2	1000 lb final RQ; 454 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Cerium (III) Nitrate Hexahydrate	10294-41-4	Emission Reporting	"1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]
Thorium Nitrate	13823-29-5	Emission Reporting	"1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]
Ammonium Tetrafluoroborate	13826-83-0	Emission Reporting	"1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]
Ammonium Hexafluorogermanate	16962-47-3	Emission Reporting	"1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]
Hydrofluoric Acid	7664-39-3	Emission Reporting	1.0 % de minimis concentration
Nitric Acid	7697-37-2	Emission Reporting	1.0 % de minimis concentration

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Thorium Nitrate	13823-29-5	Present
Ammonium Tetrafluoroborate	13826-83-0	Present
Tungsten	7440-33-7	Present
Hydrofluoric Acid	7664-39-3	Extraordinarily hazardous
Nitric Acid	7697-37-2	Extraordinarily hazardous

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Thorium Nitrate	13823-29-5	Present
Ammonium Tetrafluoroborate	13826-83-0	Environmental hazard
Tungsten	7440-33-7	Present
Hydrofluoric Acid	7664-39-3	Environmental hazard
Nitric Acid	7697-37-2	Environmental hazard

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Cerium (III) Nitrate Hexahydrate	10294-41-4	"sn 3722" As Nitrate compounds [RR-01770-9]
Thorium Nitrate	13823-29-5	sn 1857
Ammonium Tetrafluoroborate	13826-83-0	sn 0100
Tungsten	7440-33-7	sn 1959
Hydrofluoric Acid	7664-39-3	sn 3759
Nitric Acid	7697-37-2	sn 1356

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
No data found.		

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Cerium (III) Nitrate Hexahydrate	10294-41-4	DSL	"Present" As Cerium nitrate [10108-73-3]
Uranium Oxide	1344-58-7	DSL	Present
Thorium Nitrate	13823-29-5	DSL	Present
Ammonium Tetrafluoroborate	13826-83-0	DSL	Present
Niobium	7440-03-1	DSL	Present
Tungsten	7440-33-7	DSL	Present
Hydrofluoric Acid	7664-39-3	DSL	Present
Nitric Acid	7697-37-2	DSL	Present
Water	7732-18-5	DSL	Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Cerium (III) Nitrate Hexahydrate	10294-41-4	"Present (ACTIVE)" As Nitric acid, cerium(3+) salt (3:1) [10108-73-3]
Uranium Oxide	1344-58-7	Present (ACTIVE)
Thorium Nitrate	13823-29-5	Present (ACTIVE)
Ammonium Tetrafluoroborate	13826-83-0	Present (ACTIVE)
Niobium	7440-03-1	Present (ACTIVE)
Tungsten	7440-33-7	Present (ACTIVE)
Hydrofluoric Acid	7664-39-3	Present (ACTIVE)
Nitric Acid	7697-37-2	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Cerium (III) Nitrate Hexahydrate	10294-41-4	EINECS	"233-297-2" As Cerium trinitrate [10108-73-3]
Uranium Oxide	1344-58-7	EINECS	215-701-9
Thorium Nitrate	13823-29-5	EINECS	237-514-1
Ammonium Tetrafluoroborate	13826-83-0	EINECS	237-531-4
Ammonium Hexafluorogermanate	16962-47-3	EINECS	241-037-4
Niobium	7440-03-1	EINECS	231-113-5
Tungsten	7440-33-7	EINECS	231-143-9
Hydrofluoric Acid	7664-39-3	EINECS	231-634-8
Nitric Acid	7697-37-2	EINECS	231-714-2
Water	7732-18-5	EINECS	231-791-2

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Cerium (III) Nitrate Hexahydrate	10294-41-4	Present [35628]
Ammonium Tetrafluoroborate	13826-83-0	Present [32539]
Niobium	7440-03-1	Present [25268]
Tungsten	7440-33-7	Present [34920]
Hydrofluoric Acid	7664-39-3	Present [27221]
Nitric Acid	7697-37-2	Present [35578]
Water	7732-18-5	Present [32224]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Cerium (III) Nitrate Hexahydrate	10294-41-4	Annex 1	"Present [KE-05423]" As Cerium nitrate [10108-73-3]
Thorium Nitrate	13823-29-5	Annex 1	Present [KE-25929]
Ammonium Tetrafluoroborate	13826-83-0	Annex 1	Present [KE-01748]
Niobium	7440-03-1	Annex 2	2013-3-5602 (2013-3-5602)
Tungsten	7440-33-7	Annex 1	Present [KE-35000]
Hydrofluoric Acid	7664-39-3	Annex 1	Present [KE-20198]
Nitric Acid	7697-37-2	Annex 1	Present [KE-25911]
Water	7732-18-5	Annex 1	Present [KE-35400]


15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Cerium (III) Nitrate Hexahydrate	10294-41-4	(1)-626
Ammonium Tetrafluoroborate	13826-83-0	(1)-47
Niobium	7440-03-1	- (exempt)
Tungsten	7440-33-7	- (exempt)
Hydrofluoric Acid	7664-39-3	(1)-306
Nitric Acid	7697-37-2	(1)-394
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)

SECTION 16: Other Information

16.1 National Fire Protection Associate (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:





Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

16.2 Document Revision

Last Revision Date:

2026-07-10

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.