

Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

1 Identification

- **Product identifier**
- **Trade name:** Total Nitrogen Acid LR/HR
- **Catalogue number:**
00530409, 530400, 424487, 4530400, in (4)535550, in (4)535560, 5304010, 5304020, 005304091, 00530408
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
USA
phone: (941) 756-6410
fax: (941) 727-9654
www.lovibond.us
Made in Germany
- **Emergency telephone number:** + 1 866 928 0789 (English, French, Spanish)

* 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
sulphuric acid 86 %
- **Hazard statements**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
P310 Immediately call a doctor.
- **Other hazards** Acid burns have to be treated immediately, as it may otherwise cause badly curing wounds.

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: Total Nitrogen Acid LR/HR

(Contd. of page 1)

* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** sulfuric acid solution

- **Composition and Information on Ingredients:**

Cancer Status IARC: Strong inorganic acid mists containing sulphuric acid can cause cancer.

Percent ranges are used due to the confidential product information.

CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8 RTECS: WS5600000	sulphuric acid	 Met. Corr.1, H290; Skin Corr. 1A, H314	80–90%
---	----------------	--	--------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness remove to fresh air, apply artificial respiration, and consult a physician.

- **After skin contact:**

Wash with polyethylene glycol 400 and then rinse with copious amounts of water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

- **After eye contact:**

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

- **After swallowing:**

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; immediately call for medical help.

- **Most important symptoms and effects, both acute and delayed**

after inhalation:

damage to the affected mucous membranes

coughing

breathing difficulty

after swallowing:

diarrhoea

pain

sickness

vomiting

cramps

- **Danger:**

Danger of impaired breathing.

Danger of gastric perforation.

- **Indication of any immediate medical attention and special treatment needed:**

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary edema.

* 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder.

- **For safety reasons unsuitable extinguishing agents:** Water

- **Special hazards arising from the substance or mixture**

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Sulfur oxides (SO_x)

- **Advice for firefighters**

- **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)

— US —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: **Total Nitrogen Acid LR/HR**

(Contd. of page 2)

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
 Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
 Wear protective equipment. Keep unprotected persons away.
 Avoid substance contact.
 Ensure adequate ventilation
- **Advice for emergency responders:** Protective equipment: see section 8
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
 Ensure adequate ventilation.
 Neutralize with diluted sodium hydroxide solution.
 Absorb with liquid-binding material (sand, diatomite, universal binders).
 Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
- **Advice on safe handling:**
 Open and handle receptacle with care.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
- **Hygiene measures:**
 Do not inhale gases / fumes / aerosols.
 Do not get in eyes, on skin, or on clothing.
 Take off immediately all contaminated clothing.
 Wash hands before breaks and at the end of work.
 Do not eat, drink or smoke when using this product.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
 Store away from metals.
 Do not store together with alkalis (caustic solutions).
 Store away from flammable substances.
- **Further information about storage conditions:**
 Store under lock and key and with access restricted to technical experts or their assistants only.
 Store in cool, dry conditions in well sealed receptacles.
 Protect from heat and direct sunlight.
 Protect from exposure to the light.
 Protect from humidity and water.
 This product is hygroscopic.
 Store in dry conditions.
- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
- **Specific end use(s)** No further relevant information available.

US
(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: Total Nitrogen Acid LR/HR

(Contd. of page 3)

* 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 sulphuric acid

PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m ³
TLV (USA)	Long-term value: 0.2* mg/m ³ *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m ³

· Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Recommended filter device for short term use: Combination filter B-P2

· Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

· Penetration time of glove material

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

Face protection

· Body protection: Acid resistant protective clothing

· Limitation and supervision of exposure into the environment:

Avoid release to the environment.

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form / Physical state:	Fluid
Color:	Clear

· Odor:	Recognizable
· Odor threshold:	Not determined.

· pH-value at 20 °C (68 °F):	< 1
------------------------------	-----

· Melting point/freezing point:	Not determined.
· Initial boiling point and boiling range:	Not determined.

· Flash point:	Not applicable.
----------------	-----------------

· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	Not applicable.

· Decomposition temperature:	Not determined.
------------------------------	-----------------

· Auto-ignition temperature:	Product is not self-igniting.
------------------------------	-------------------------------

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: Total Nitrogen Acid LR/HR

(Contd. of page 4)

· Danger of explosion:	Product does not present an explosion hazard.
· Flammability or explosive limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties:	none
· Vapor Pressure:	Not determined.
· Density at 20 °C (68 °F):	1.8 g/cm ³ (15.02 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility(ies)	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	Not determined.
· Solvent content:	
Organic solvents:	0,0 %
Water:	> 10 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
 - Corrosive action on metals.
 - Reacts with metals forming hydrogen (Danger of explosion!)
 - When diluting, always add acid to water, never vice versa.
 - Diluting or dissolving in water always causes rapid heating.
 - Reacts with reducing agents.
 - Reacts with acids and alkali (lyes).
 - Reacts with ammonia (NH₃).
- **Conditions to avoid** strong heating
- **Incompatible materials:**
 - metals
 - alkali compounds
 - halogen compounds
 - combustible materials
 - organic solvents
 - nitriles
 - peroxides
 - oxidizing agents
- **Hazardous decomposition products:**
 - Sulfur oxides (SO_x)
 - see section 5

*11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:**
 - The following statements refer to the individual components.

CAS: 7664-93-9 sulphuric acid		
Oral	LD50	2140 mg/kg (rat) (IUCLID)
	LC 50	510 mg/m ³ /2h (rat) IUCLID

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: **Total Nitrogen Acid LR/HR**

(Contd. of page 5)

- **Primary irritant effect:**
- **on the skin:** Causes severe skin burns.
- **on the eye:**
Causes serious eye damage.
Risk of blindness!
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)	
CAS: 7664-93-9 sulphuric acid	1
· NTP (National Toxicology Program)	
CAS: 7664-93-9 sulphuric acid	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

- **Other information:**
see section 8 / 15
Cancer Status of Sulfuric acid: The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.
A2 (Suspected for humans) by ACGIH
- **Synergistic Products:** None
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**
CAS-No. 7664-93-9:
carcinogenic: Category 4
The following statements refer to the mixture:
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
 - **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema.
Sulfuric acid: erosion of the teeth, cancer

*12 Ecological information

- **Toxicity**

· Aquatic toxicity:	
CAS: 7664-93-9 sulphuric acid	
EC50	>100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA)
LC50	16–29 mg/l/96h (bluegill) (Merck)

- **Bacterial toxicity:** sulfates toxic > 2.5 g/l
- **Other information:**
Toxic for fish:
sulfates > 7 g/l
- **Persistence and degradability .**
- **Other information:**
Mixture of inorganic compounds.
Does not cause biological oxygen deficit.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Remark:** neutralization possible
- **Other adverse effects**
Harmful effect due to pH shift.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: Total Nitrogen Acid LR/HR

Forms corrosive mixtures with water even if diluted.

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to hazardous waste disposers.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

*14 Transport information

· UN-Number	UN1830
· DOT, IMDG, IATA	
· UN proper shipping name	Sulfuric acid
· DOT	SULPHURIC ACID
· IMDG, IATA	
· Transport hazard class(es)	
· DOT	
	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· Stowage Category	E
· Stowage Code	SW15 For metal drums, stowage category B.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· Limited quantity (LQ):	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: Total Nitrogen Acid LR/HR

(Contd. of page 7)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
--	---

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (Extremely hazardous substances):

CAS: 7664-93-9 sulphuric acid

· Section 313 (Specific toxic chemical listings):

CAS: 7664-93-9 sulphuric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 7664-93-9 sulphuric acid

CAS: 7440-36-0 antimony

· New Jersey Special Hazardous Substance List:

CAS: 7664-93-9 sulphuric acid

CA, CO, R2

· Pennsylvania Right-to-Know List:

CAS: 7664-93-9 sulphuric acid

CAS: 7440-36-0 antimony

· Pennsylvania Special Hazardous Substance List:

CAS: 7664-93-9 sulphuric acid

E

CAS: 7440-36-0 antimony

E

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- **Date of preparation / last revision** 12/08/2017 / 15

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 12/08/2017

Reviewed on 12/08/2017

Trade name: Total Nitrogen Acid LR/HR

(Contd. of page 8)

Abbreviations and acronyms:

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
 EC50: effective concentration, 50 percent (in vivo)
 STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ACGIH® - American Conference of Governmental Industrial Hygienists
 •A1 - Confirmed human carcinogen
 •A2 - Suspected human carcinogen
 •A3 - Confirmed animal carcinogen with unknown relevance to humans
 •A4 - Not classifiable as a human carcinogen
 •A5 - Not suspected as a human carcinogen
 IARC - International Agency for Research on Cancer
 •Group 1 - Carcinogenic to humans
 •Group 2A - Probably carcinogenic to humans
 •Group 2B - Possibly carcinogenic to humans
 •Group 3 - Not classifiable as to carcinogenicity to humans
 •Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 •Group K - Known to be Human Carcinogens
 •Group R - Reasonably Anticipated to be Human Carcinogens
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Met. Corr.1: Corrosive to metals – Category 1
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Sources

Data arise from safety data sheets, reference works and literature.
 CSST (Service du répertoire toxicologique)
 IUCLID (International Uniform Chemical Information Database)
 International Chemical Safety Cards (ICSCs)

*** Data compared to the previous version altered.**