



Be Right™

SAFETY DATA SHEET

Issue Date 16-Aug-2018

Revision Date 17-Aug-2018

Version 3.4

Page 1 / 18

1. IDENTIFICATION

Product identifier

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Other means of identification

Product Code(s) 2660601

Safety data sheet number M03449

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger



Hazard statements

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 2 / 18

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	<1%	-
Ammonium sulfate	7783-20-2	<1%	-
Formaldehyde	50-00-0	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion

May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 3 / 18

clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.

Hazardous combustion products This material will not burn.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 4 / 18

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde CAS#: 50-00-0	STEL: 0.3 ppm TWA: 0.1 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear suitable protective clothing.

General Hygiene Considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 5 / 18

Information on basic physical and chemical properties

Physical state	Liquid	Color	Milky white
Appearance	Turbid solution aqueous solution	Odor threshold	No data available
Odor	Odorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	No data available	
Melting point/freezing point	~ 0 °C / 32 °F	
Boiling point / boiling range	~ 100 °C / 212 °F	
Evaporation rate	No data available	
Vapor pressure	No data available /	
Vapor density (air = 1)	No data available	
Specific gravity (water = 1 / air = 1)	1.02	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Steel Corrosion Rate	No data available
Aluminum Corrosion Rate	No data available

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
----------------------	----------------	---	----------------------------

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 6 / 18

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	Not applicable	X
Sodium sulfate	7757-82-6	No data available	-
Ammonium sulfate	7783-20-2	No data available	-
Formaldehyde	50-00-0	No data available	X

Explosive properties

Upper explosion limit

No data available

Lower explosion limit

No data available

Flammable properties

Flash point

No data available

Flammability Limit in Air

Upper flammability limit

No data available

Lower flammability limit

No data available

Oxidizing properties

No data available.

Bulk density

No data available

Particle Size

No information available

Particle Size Distribution

No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Conditions to avoid

None known based on information supplied.

Incompatible materials

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 7 / 18

Information on Likely Routes of Exposure

Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.
Ingestion	May cause additional affects as listed under "Inhalation".

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.

Aggravated Medical Conditions Respiratory disorders. Skin disorders. Allergies.

Toxicologically synergistic None known.

products

Toxicokinetics, metabolism and distribution See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
Formaldehyde (<0.1%) CAS#: 50-00-0	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.

Product Acute Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Unknown Acute Toxicity

0.0003482% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Ingredient Acute Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium sulfate (<1%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde	Rat LD ₅₀	100 mg/kg	None	None reported	GESTIS (Information System

Product Code(s) 2660601

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Issue Date 16-Aug-2018

Revision Date 17-Aug-2018

Version 3.4

Page 8 / 18

($<0.1\%$) CAS#: 50-00-0			reported		on Hazardous Substances of the German Social Accident Insurance)
-------------------------------	--	--	----------	--	--

Dermal Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde ($<0.1\%$) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde ($<0.1\%$) CAS#: 50-00-0	Rat LC ₅₀	0.578 mg/L	4 hours	None reported	LOLI

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium sulfate ($<1\%$) CAS#: 7783-20-2	Man TD _{Lo}	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde ($<0.1\%$) CAS#: 50-00-0	Human LD _{Lo}	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium sulfate ($<1\%$) CAS#: 7783-20-2	Domestic mammal - Not specified LD _{Lo}	3500 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory stimulation	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde ($<0.1\%$) CAS#: 50-00-0	Human TD _{Lo}	643 mg/kg	None reported	Gastrointestinal Lungs, Thorax, or Respiration Nausea or vomiting Respiratory obstruction Ulcerated stomach	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Aspiration toxicity

No data available

Product Code(s) 2660601

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Issue Date 16-Aug-2018

Revision Date 17-Aug-2018

Version 3.4

Page 9 / 18

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Ammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Ammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route

No data available.

Respiratory Sensitization Exposure Route

No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and
---------------	-------------	---------	---------	-------------------------------

Product Code(s) 2660601

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Issue Date 16-Aug-2018

Revision Date 17-Aug-2018

Version 3.4

Page 10 / 18

				sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route

If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route

No data available.

Dermal Exposure Route

No data available.

Inhalation (Dust/Mist) Exposure Route

No data available.

Inhalation (Vapor) Exposure Route

No data available.

Inhalation (Gas) Exposure Route

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Rat TC _{Lo}	350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
----------------------	-----------------	-----------------	-----------------	------------------------------	--------------------------------------

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 11 / 18

	type	dose	time		sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC _{Lo}	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC _{Lo}	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	-	-	-	-
Sodium sulfate	7757-82-6	-	-	-	-
Ammonium sulfate	7783-20-2	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity *in vitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *in vitro* Data

If available, see data below

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Code(s) 2660601

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Issue Date 16-Aug-2018

Revision Date 17-Aug-2018

Version 3.4

Page 12 / 18

e (5 - 10%) CAS#: 100-97-0						Chemical Substances)
Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Morphological transformation	Hamster kidney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity *invivo* Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Germ Cell Mutagenicity *invivo* Data

Oral Exposure Route

If available, see data below

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Reproductive Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
---------------	---------------	---------------	---------------	-----------------------	--

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 13 / 18

Sodium sulfate (<1%) CAS#: 7757-82-6	Mouse TD _{Lo}	14000 mg/kg	4 days	Effects on Newborn Other neonatal measures or effects	RTECS (Registry of Toxic Effects of Chemical Substances)
--	---------------------------	-------------	--------	---	--

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC _{Lo}	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC _{Lo}	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Ecological Data

Aquatic toxicity

Fish

No data available

Crustacea

No data available

Algae

No data available

Ingredient Ecological Data

Aquatic toxicity

Fish

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Ammonium sulfate (<1%) CAS#: 7783-20-2	96 hours	<i>Oncorhynchus mykiss</i>	LC ₅₀	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC ₅₀	6.7 mg/L	PEEN (Pan European Ecological Network)

Crustacea

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	<i>Daphnia magna</i>	EC ₅₀	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Ammonium sulfate (<1%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%)	48 Hours	<i>Daphnia pulex</i>	EC ₅₀	5.8 mg/L	PEEN (Pan European Ecological Network)

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 14 / 18

CAS#: 50-00-0					
---------------	--	--	--	--	--

Algae

If available, see ingredient data below

Other Information

Persistence and degradability

Product Biodegradability Data

No data available.

Ingredient Biodegradability Data

Chemical name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	None reported	70%	28 days	Readily biodegradable

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Bioaccumulation Data

Chemical name	Test method	Exposure time	Species	Bioconcentration factor (BCF)	Results
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	None reported	None reported	None reported	None reported	Not determined
Formaldehyde (<0.1%) CAS#: 50-00-0	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	BCF = 3.16228	Does not have the potential to bioaccumulate

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 15 / 18

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122

Special instructions for disposal

Dilute material with excess water making a weaker than 5% solution. If permitted by regulation. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water. Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

14. TRANSPORT INFORMATION

U.S. DOT

Not regulated

TDG

Not regulated

IATA

Not regulated

IMDG

Not regulated

Note:

No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA

Complies

DSL/NDSL

Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS

Complies

ENCS

Does not comply

IECSC

Does not comply

KECL

Complies

PICCS

Does not comply

TCSI

Does not comply

AICS

Does not comply

NZIoC

Complies

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 16 / 18

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Ammonium sulfate (CAS #: 7783-20-2)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 17 / 18



WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	X	-	-
Sodium sulfate 7757-82-6	-	X	X
Ammonium sulfate 7783-20-2	-	X	X
Formaldehyde 50-00-0	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Ammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde 50-00-0	Declarable Substance (FI) Prohibited Substance (LR) Declarable Substance (LR)	0.0 % 0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH

Immediately Dangerous to Life or Health

Product Code(s) 2660601

Issue Date 16-Aug-2018

Version 3.4

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU

Revision Date 17-Aug-2018

Page 18 / 18

ACGIH
NDF

ACGIH (American Conference of Governmental Industrial Hygienists)
no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 16-Aug-2018

Revision Date 17-Aug-2018

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2018

End of Safety Data Sheet