



Be Right™

SAFETY DATA SHEET

Issue Date 09-Jan-2017

Revision Date 05-Apr-2018

Version 3.1

Page 1 / 14

1. IDENTIFICATION

Product identifier

Product Name SP 510™ Hardness Monitor Indicator Solution for 2 mg/L Hardness

Other means of identification

Product Code(s) 2769149

Safety data sheet number M00611

Recommended use of the chemical and restrictions on use

Recommended Use Hardness determination.

Uses advised against No information available.

Restrictions on use Not determined.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Warning



Hazard statements

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510 TM Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 2 / 14

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Other Hazards Known

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

No information available.

Chemical nature

No information available.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Propanoic acid	79-09-4	1 - 5%	-

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510 TM Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 3 / 14

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.
-----------------	--------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	No information available.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
--------------------	--

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
-----------------------------	--

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510 TM Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 4 / 14

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propanoic acid CAS#: 79-09-4	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m ³	TWA: 10 ppm TWA: 30 mg/m ³ STEL: 15 ppm STEL: 45 mg/m ³

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves. Impervious gloves.

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510™ Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 5 / 14

General Hygiene Considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance aqueous solution
Odor Acidic

Color dark red
Odor threshold No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	2.5	
Melting point/freezing point	~ -1 °C / 30.2 °F	Estimation based on theoretical calculation
Boiling point / boiling range	100 °C / 212 °F	
Evaporation rate	1 (water = 1)	
Vapor pressure	23.702 mm Hg / 3.16 kPa at 25 °C / 77 °F	Estimation based on theoretical calculation
Vapor density (air = 1)	0.62 (air = 1)	
Specific gravity (water = 1 / air = 1)	1.004	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510 TM Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 6 / 14

Other Information

Metal Corrosivity

Steel Corrosion Rate

No data available

Aluminum Corrosion Rate

No data available

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Propanoic acid	79-09-4	No data available	X

Explosive properties

Upper explosion limit

No data available

Lower explosion limit

No data available

Flammable properties

Flash point

No data available

Flammability Limit in Air

Upper flammability limit:

No data available

Lower flammability limit:

No data available

Oxidizing properties

No data available.

Bulk density

Not applicable

Particle Size

No information available

Particle Size Distribution

No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization

No information available.

Conditions to avoid

Conditions to avoid

None known based on information supplied.

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510™ Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 7 / 14

Incompatible materials

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products

No information available.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation	May cause irritation of respiratory tract.
Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Redness. May cause redness and tearing of the eyes.

Aggravated Medical Conditions	Skin disorders. Eye disorders. Preexisting eye disorders. Respiratory disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	No information available.

Product Acute Toxicity Data

Oral Exposure Route	No data available
Dermal Exposure Route	No data available
Inhalation (Dust/Mist) Exposure Route	No data available
Inhalation (Vapor) Exposure Route	No data available
Inhalation (Gas) Exposure Route	No data available

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Ingredient Acute Toxicity Data

Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Rat LD ₅₀	2600 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)

Dermal Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Rabbit LD ₅₀	500 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510™ Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 8 / 14

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Rat LC ₅₀	> 4.9 mg/L	4 hours	None reported	IUCLID (The International Uniform Chemical Information Database)

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Aspiration toxicity

If available, see data below

Kinematic viscosity

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Open Irritation Test	Rabbit	495 mg	None reported	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Standard Draize Test	Rabbit	0.99 mg	None reported	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route

No data available.

Respiratory Sensitization Exposure Route

No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and
---------------	-------------	---------	---------	-------------------------------

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510™ Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 9 / 14

				sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	IUCLID (The International Uniform Chemical Information Database)

Respiratory Sensitization Exposure Route

If available, see data below.

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route

No data available.

Dermal Exposure Route

No data available.

Inhalation (Dust/Mist) Exposure Route

No data available.

Inhalation (Vapor) Exposure Route

No data available.

Inhalation (Gas) Exposure Route

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Propanoic acid	79-09-4	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	Does not apply

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

If available, see data below

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	Mutation in microorganisms	<i>Salmonella typhimurium</i>	6.667 mg/plate	None reported	Negative test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510™ Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 10 / 14

Product Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Germ Cell Mutagenicity *in vivo* Data

Oral Exposure Route

If available, see data below

Dermal Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

Product Reproductive Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route

If available, see data below

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Inhalation (Gas) Exposure Route

If available, see data below

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Ecological Data

Aquatic toxicity

Fish

No data available

Crustacea

No data available

Algae

No data available

Ingredient Ecological Data

Aquatic toxicity

Fish

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	96 hours	<i>Oncorhynchus mykiss</i>	LC ₅₀	51.0 mg/L	IUCLID (The International Uniform Chemical Information Database)

Crustacea

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Propanoic acid (1 - 5%) CAS#: 79-09-4	48 Hours	<i>Daphnia magna</i>	EC ₅₀	45.8 mg/L	IUCLID (The International Uniform Chemical Information Database)

Algae

If available, see ingredient data below

Other Information

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510 TM Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 11 / 14

Persistence and degradability

Product Biodegradability Data

No data available.

Ingredient Biodegradability Data

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Bioaccumulation Data

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

No data available

Special instructions for disposal

Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.

14. TRANSPORT INFORMATION

U.S. DOT

Not regulated

TDG

Not regulated

IATA

Not regulated

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510 TM Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 12 / 14

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies

DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies

ENCS Complies

IECSC Complies

KECL Complies

PICCS Does not comply

TCSI Complies

AICS Complies

NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes

Chronic Health Hazard No

Fire hazard No

Sudden release of pressure hazard No

Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
---------------	-----------------------------	------------------------	---------------------------	----------------------------

Product Code(s) 2769149

Product Name SP 510™ Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Issue Date 09-Jan-2017

Revision Date 05-Apr-2018

Version 3.1

Page 13 / 14

Propanoic acid 79-09-4	5000 lb	-	-	X
---------------------------	---------	---	---	---

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Propanoic acid 79-09-4	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propanoic acid 79-09-4	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Propanoic acid	180.0940	21 CFR 184.1081

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Not applicable

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH

Immediately Dangerous to Life or Health

Product Code(s) 2769149

Issue Date 09-Jan-2017

Version 3.1

Product Name SP 510™ Hardness Monitor Indicator Solution
for 2 mg/L Hardness

Revision Date 05-Apr-2018

Page 14 / 14

ACGIH
NDF

ACGIH (American Conference of Governmental Industrial Hygienists)
no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 05-Apr-2018

Revision Date 05-Apr-2018

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2018

End of Safety Data Sheet