



Be Right™

SAFETY DATA SHEET

Issue Date 25-04-2016

Revision Date
26-Nov-2021

Version 3.3

Page 1 / 18

1. IDENTIFICATION

Product identifier

Product Name COD TNTPlus™, HR (20-1500 MG/L)

Other means of identification

Product Code(s) TNT822

Safety data sheet number M0376

UN/ID no UN3316

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Aquatic Acute Toxicity	Category 1
Chronic aquatic toxicity	Category 1

Hazards not otherwise classified (HNOC)

Data insufficient for GHS classification but significant enough for mention suggests:

CANCER HAZARD. STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER.

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 2 / 18

Inhalation of low concentrations of sulfuric acid may result in airway irritation such as cough and shortness of breath; high concentrations may result in acute effects such as cough.

Label elements

Signal word
Danger



Hazard statements

H290 - May be corrosive to metals
H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H332 - Harmful if inhaled
H340 - May cause genetic defects
H350 - May cause cancer
H361 - Suspected of damaging fertility or the unborn child
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P270 - Do not eat, drink or smoke when using this product
P501 - Dispose of contents/ container to an approved waste disposal plant
P405 - Store locked up
P280 - Wear protective gloves, protective clothing, eye protection, and face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P363 - Wash contaminated clothing before reuse
P272 - Contaminated work clothing should not be allowed out of the workplace
P201 - Obtain special instructions before use
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P273 - Avoid release to the environment
P391 - Collect spillage
P234 - Keep only in original container
P390 - Absorb spillage to prevent material damage
P271 - Use only outdoors or in a well-ventilated area
P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Other Hazards Known

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 3 / 18

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

Aqueous solution of inorganic acids and salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	80 - 90%	-
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	<1%	-
Sulfuric acid, disilver(1+) salt	10294-26-5	<1%	-
Chromium trioxide	1333-82-0	<1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact

Get immediate medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms

Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Sulfur oxides. chromium oxides. Mercury.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
<u>Personal precautions, protective equipment and emergency procedures</u>	
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
<u>Environmental precautions</u>	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
<u>Methods and material for containment and cleaning up</u>	
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 5 / 18

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Flammability class

Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m ³ thoracic particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³
Sulfuric acid, mercury(2+) salt (1:1) CAS#: 7783-35-9	TWA: 0.025 mg/m ³ Hg S*	(vacated) Ceiling: 0.1 mg/m ³	IDLH: 10 mg/m ³ Hg Ceiling: 0.1 mg/m ³ Hg TWA: 0.05 mg/m ³ except Organo alkyls Hg vapor
Sulfuric acid, disilver(1+) salt CAS#: 10294-26-5	TWA: 0.01 mg/m ³ Ag	TWA: 0.01 mg/m ³ (vacated) TWA: 0.01 mg/m ³	IDLH: 10 mg/m ³ Ag TWA: 0.01 mg/m ³ Ag
Chromium trioxide CAS#: 1333-82-0	STEL: 0.0005 mg/m ³ Cr(VI) inhalable particulate matter TWA: 0.0002 mg/m ³ Cr(VI) inhalable particulate matter S*	TWA: 5 µg/m ³ (vacated) Ceiling: 0.1 mg/m ³ Ceiling: 0.1 mg/m ³	IDLH: 15 mg/m ³ Cr(VI) TWA: 0.0002 mg/m ³ Cr

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves.

Eye/face protection

Face protection shield.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 6 / 18

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Turbid solution
Color	light orange
Odor	Odorless
Odor threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	Not applicable	
pH	< 0.5	@ 20 °C
Melting point/freezing point	4 °C / 39.2 °F	
Boiling point / boiling range	~ 300 °C / 572 °F	
Evaporation rate	0.16 (water = 1)	
Vapor pressure	1.725 mm Hg / 0.23 kPa at 25 °C / 77 °F	
Relative vapor density	0.03	
Specific gravity (water = 1 / air = 1)	1.78	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	~ 2.499 cP (mPa s) at 20 °C / 68 °F	
Kinematic viscosity	~ 1.404 cSt (mm²/s) at 20 °C / 68 °F	

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Completely soluble	> 10000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

4.88 mm/yr / 0.19 in/yr

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 7 / 18

Aluminum Corrosion Rate

55.4 mm/yr / 2.18 in/yr

Volatile Organic Compounds (VOC) Content

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	Not applicable	-
Sulfuric acid, disilver(1+) salt	10294-26-5	No data available	-
Chromium trioxide	1333-82-0	Not applicable	-

Explosive properties

Upper explosion limit
Lower explosion limit

No data available
No data available

Flammable properties

Flash point

No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:

No data available
No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable. Corrosive to metal.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Oxidizing agent. Acids. Bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

Eye contact

Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact

May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Toxic in contact with skin. Corrosive. Causes severe burns. Avoid contact with skin and clothing.

Ingestion

Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives.

Acute toxicity

Harmful if swallowed
Toxic in contact with skin
Harmful if inhaled

Product Acute Toxicity Data

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Rat LD ₅₀	> 5000 mg/kg	None reported	None reported	Vendor SDS
Chromium trioxide (<1%) CAS#: 1333-82-0	Rat LD ₅₀	52 mg/kg	None reported	None reported	ERMA (New Zealand's Environmental Risk Management Authority)

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromium trioxide (<1%) CAS#: 1333-82-0	Rat LD ₅₀	55 mg/kg	None reported	None reported	ERMA (New Zealand's Environmental Risk Management Authority)

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 9 / 18

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Chromium trioxide (<1%) CAS#: 1333-82-0	Rat LC ₅₀	0.217 mg/L	4 hours	None reported	ERMA (New Zealand's Environmental Risk Management Authority)

Inhalation (Vapor) Exposure Route

Unknown Acute Toxicity

0.001% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	614.27 mg/kg
ATEmix (dermal)	614.40 mg/kg
ATEmix (inhalation-dust/mist)	5.8274 mg/l
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Causes severe burns.

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Chromium trioxide (<1%) CAS#: 1333-82-0	United States Department of Transportation (DOT) Skin Corrosion Test	Rabbit	500 mg	30 minutes	Corrosive to skin	ECHA (The European Chemicals Agency)

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 10 / 18

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)
Sulfuric acid, mercury(2+) salt (1:1) (<1%) CAS#: 7783-35-9	Existing human experience	Human	None reported	None reported	Eye irritant	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Standard Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA (The European Chemicals Agency)
Chromium trioxide (<1%) CAS#: 1333-82-0	Standard Draize Test	Rabbit	50 mg	7 days	Corrosive to eyes	ECHA (The European Chemicals Agency)

Respiratory or skin sensitization

May cause sensitization by skin contact.

Product Sensitization Data

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	<i>in vivo</i> Assay	Guinea pig	Not confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)

STOT - single exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Human TD _{Lo}	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

STOT - repeated exposure

May cause damage to organs.

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 11 / 18

Product Specific Target Organ Toxicity Repeat Dose Data

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Rat LD	> 2000 mg/kg	14 days	No toxicological effects observed	ECHA (The European Chemicals Agency)

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Human TC _{Lo}	0.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS (Registry of Toxic Effects of Chemical Substances)

Carcinogenicity

Classification based on data available for ingredients. Contains a known or suspected carcinogen.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Sulfuric acid, mercury(2+) salt (1:1)	7783-35-9	-	Group 3	-	-
Sulfuric acid, disilver(1+) salt	10294-26-5	-	-	-	-
Chromium trioxide	1333-82-0	A1	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Germ cell mutagenicity

Classification based on data available for ingredients. Contains a known or suspected mutagen. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

EN / AGHS	Page 11 / 18
-----------	--------------

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 12 / 18

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	Mutation in mammalian somatic cells	Human lymphocyte	.08 mg/L	3 hours	Negative test result for mutagenicity	ECHA (The European Chemicals Agency)
Chromium trioxide (<1%) CAS#: 1333-82-0	Morphological transformation	Human fibroblast	100 nmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity *in vivo* Data

No data available.

Ingredient Germ Cell Mutagenicity *in vivo* Data

No data available.

Reproductive toxicity

Classification based on data available for ingredients. Contains a known or suspected reproductive toxin. The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Rabbit TC _{Lo}	0.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity

0.001 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Product Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 13 / 18

Ingredient Ecological Data

Aquatic Acute Toxicity Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	96 hours	<i>Pimephales promelas</i>	LC ₅₀	0.0012 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chromium trioxide (<1%) CAS#: 1333-82-0	96 hours	<i>Tilapia mossambica</i>	LC ₅₀	21.05 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt (<1%) CAS#: 10294-26-5	48 Hours	<i>Ceriodaphnia dubia</i>	LC ₅₀	0.0045 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chromium trioxide (<1%) CAS#: 1333-82-0	48 Hours	<i>Daphnia magna</i>	EC ₅₀	0.162 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Aquatic Chronic Toxicity No data available.

Persistence and degradability

Product Biodegradability Data No data available.

Product Bioaccumulation Data No data available.

Partition Coefficient (n-octanol/water) Not applicable

Mobility

Soil Organic Carbon-Water Partition Coefficient Not applicable

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 14 / 18

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D002, D009

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN3316
Proper shipping name	CHEMICAL KITS
Transport hazard class(es)	9
Marine pollutant	This product contains a chemical which is listed as a marine pollutant according to DOT.
Description	UN3316, CHEMICAL KITS, 9, Marine pollutant (Sulfuric acid, disilver(1+) salt, Sulfuric acid, mercury(2+) salt (1:1))
Emergency Response Guide Number	171

TDG

UN/ID no	UN3316
Proper shipping name	CHEMICAL KIT
Transport hazard class(es)	9
Marine pollutant	This product contains a chemical which is listed as a severe marine pollutant according to TDG.
Description	UN3316, CHEMICAL KIT, 9

IATA

UN number or ID number	UN3316
Proper shipping name	Chemical kit
Transport hazard class(es)	9
ERG Code	9L
Description	UN3316, Chemical kit, 9

IMDG

UN number or ID number	UN3316
Proper shipping name	CHEMICAL KIT
Transport hazard class(es)	9
EmS-No	F-A, S-P
Special precautions for user	251, 340
Marine pollutant	This material meets the definition of a marine pollutant
Description	UN3316, CHEMICAL KIT (Sulfuric acid, disilver(1+) salt), 9, Marine pollutant

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

15. REGULATORY INFORMATION

National Inventories

TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
----------------------	----------

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 15 / 18

ENCS	Complies
IECSC	Complies
KECL - Existing substances	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9)	1.0
Sulfuric acid, disilver(1+) salt (CAS #: 10294-26-5)	1.0
Chromium trioxide (CAS #: 1333-82-0)	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	10 lb	X	-	X
Sulfuric acid, disilver(1+) salt 10294-26-5	-	X	-	-
Chromium trioxide 1333-82-0	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
---------------	--------------------------	----------------	--------------------------

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 16 / 18

Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (80 - 90%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries given in 1310.08(b))

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen
Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9)	Developmental
Chromium trioxide (CAS #: 1333-82-0)	Carcinogen Developmental Female Reproductive Male Reproductive



WARNING: This product can expose you to chemicals including Chromium trioxide, Sulfuric acid, Sulfuric acid, mercury(2+) salt (1:1), which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Contains Mercury Dispose of in accordance with local, state and federal regulations or laws.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	X	X	X
Sulfuric acid, disilver(1+) salt 10294-26-5	X	-	X
Chromium trioxide 1333-82-0	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 17 / 18

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

This product contains mercury and may be subject to reporting and recordkeeping requirements

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Sulfuric acid, mercury(2+) salt (1:1) 7783-35-9	Declarable Substance (LR) Prohibited Substance (LR)	0 % 0.1 %
Chromium trioxide 1333-82-0	Declarable Substance (LR) Prohibited Substance (LR)	0 % 0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3 - *	Flammability - 0	Physical hazards - 0	Personal protection - X - I

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*
ACGIH *ACGIH (American Conference of Governmental Industrial Hygienists)*
NDF *no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 25-04-2016

Revision Date 26-Nov-2021

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site

Product Code(s) TNT822
Issue Date 25-04-2016
Version 3.3

Product Name COD TNTPlus™, HR (20-1500 MG/L)
Revision Date 26-Nov-2021
Page 18 / 18

safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2021

End of Safety Data Sheet