



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation Color Standard, APHA / Hazen (Platinum-Cobalt), Color = 500

Product Number 2230

Other Identifying Product Numbers 2230-16, 2230-200, 2230-32, 2230-4, 2230-8, R2230000-50C

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company Ricca Chemical Company

Address 412 West Fork Drive

Arlington, TX 76012 USA

Telephone 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

Hazard Class	Category	Hazard Statements	Precautionary Statements
Corrosive to the Respiratory Tract	Corrosive		
Skin Corrosion / Irritation	Category 1	H314	P260,P264,P280,P301+P330+P331, P303+P361+P353,P363,P304+P340, P310,P321,P305+P351+P338,P405, P501
Serious Eye Damage / Eye Irritation	Category 1	H318	P280,P305+P351+P338,P310
Respiratory Sensitization	Category 1	H334	P261,P284,P304+P340,P342+P311, P501
Skin Sensitization	Category 1	H317	P261,P272,P280,P302+P352, P333+P313,P321,P362+P364,P501
Carcinogenicity	Category 2	H351	P201,P202,P280,P308+P313,P405, P501
Corrosive to Metals	Category 1	H290	P234,P390,P406
Hazardous to the Aquatic Environment, Short-term (Acute)	Acute 3	H402	P273,P501
Hazardous to the Aquatic Environment, Long-term (Chronic)	Chronic 3	H412	P273,P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

NOTE: Hazard statements may be combined on labels to improve clarity and readability.

Hazard Number	Hazard Statement
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H351	Suspected of causing cancer
H412	Harmful to aquatic life with long lasting effects
	Corrosive to the respiratory tract

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

Precautionary Statements:

NOTE: Precautionary statements may be combined or consolidated on labels to improve clarity and readability.

Prevention

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original packaging.
P260	Do not breathe fumes or mist.
P264	Wash hands, arms, and face thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P284	In case of inadequate ventilation wear respiratory protection.

Response

Precautionary Number	Precautionary Statement
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice or attention.
P310	Immediately call a poison center or doctor.
P342+P311	If experiencing respiratory symptoms: Call a poison center or doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material damage.

Storage

Precautionary Number	Precautionary Statement
P405	Store locked up.

Disposal

Precautionary Number	Precautionary Statement
P501	Dispose of contents/container to suitable waste stream in accordance with local, state, federal, and international regulations.

2.3. Hazards not Otherwise Classified

No other hazards identified.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

2.4. Ingredients of Unknown Acute Toxicity

This product does not contain any ingredients of unknown acute toxicity.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Mixture

Chemical Name (IUPAC)	Common Name and Synonyms	CAS Number	Weight%
water	Water	7732-18-5	95.49
chlorane	Hydrochloric Acid; Muriatic acid	7647-01-0	4.28
dipotassium hexachloroplatinum(2-)	Potassium Hexachloroplatinate (IV); Potassium hexachloroplatinate(IV)	16921-30-5	0.13
cobalt(2+) dichloride hexahydrate	Cobalt (II) Chloride Hexahydrate; Cobaltous chloride hexahydrate	7791-13-1	0.10

SECTION 4: First-Aid Measures

4.1. Description of Necessary Measures

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. May cause irritation, redness, and pain.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Suspected of causing cancer Mildly corrosive. Contains Cobalt Chloride, a possible carcinogen according to IARC (International Agency for Research on Cancer). May irritate eyes and skin. Wash areas of contact with water for at least 15 minutes. If ingested, dilute with water. Do not induce vomiting. Call a physician if necessary. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness, and pain. CHRONIC EFFECTS / CARCINOGENICITY: Chronic exposure may affect thyroid, heart, lungs and kidneys due to Cobalt.

4.3. Immediate Medical Attention or Special Treatment Needed

Immediately call a poison center or doctor. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire (water or water spray). Neutralize with soda ash or slaked lime.

5.2. Specific Hazards Arising from the Substance or Mixture in a Fire

Not considered to be a fire or explosion hazard. May react with metals to release flammable Hydrogen gas.

5.3. Special Protective Equipment and Precautions for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Carbonate or a soda ash-slaked lime mixture (50:50). Mix and add water to form slurry. Decant the liquid to the drain with excess water. Treat the solid residue as normal refuse. Wash site with soda ash solution. Always dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

SECTION 8: Exposure Controls / Personal Protection

8.1. Exposure Limits

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA - Permissible Exposure Limits (PEL) - Time Weighted Averages (TWA)

Chemical Name	CAS Number	Exposure Limit
Potassium Hexachloroplatinate (IV)	16921-30-5	"0.002 mg/m3 TWA (as Pt)" As Platinum, soluble salts [RR-00046-4]

U.S. OSHA - Permissible Exposure Limits (PEL) - Ceiling Limits

Chemical Name	CAS Number	Exposure Limit
Hydrochloric Acid	7647-01-0	5 ppm Ceiling; 7 mg/m3 Ceiling

U.S. OSHA - Permissible Exposure Limits (PEL) - Short Term Exposure Limits (STEL)

No limits found.

U.S. OSHA - Specifically Regulated Chemicals

No limits found.

ACGIH - Threshold Limit Values - Ceilings (TLV-C)

Chemical Name	CAS Number	Exposure Limit
Hydrochloric Acid	7647-01-0	2 ppm Ceiling

ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

No limits found.

ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Chemical Name	CAS Number	Exposure Limit
Potassium Hexachloroplatinate (IV)	16921-30-5	"0.002 mg/m3 TWA (as Pt)" As Platinum soluble salts [RR-00046-4]
Cobalt (II) Chloride Hexahydrate	7791-13-1	"0.02 mg/m3 TWA (inhalable particulate matter, as Co)" As Cobalt inorganic compounds [RR-02516-1]

8.2. Engineering Controls

No specific controls are needed. Normal room ventilation is adequate.

8.3. Individual Protective Measures and Personal Protective Equipment

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Physical State:	liquid
Color:	Yellow-brown
Odor:	Data not available.
Odor Threshold:	Data not available.
Melting/Freezing Point:	Approximately 0°C
Boiling Point/Range:	Approximately 100°C
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Flash Point:	Not flammable
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
pH:	< 1
Kinematic Viscosity:	Data not available.
Solubility:	miscible
Vapor Pressure:	Data not available.
Evaporation Rate:	Data not available.
Relative Density:	1.02
Relative Vapor Density:	Data not available.
Particle Characteristics:	Data not available.
Partition Coefficient n-octanol/water, log	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original packaging. Most metals, Alkalis, active metals, Cyanides, Sulfides, Sulfites, Metal Oxides, Formaldehyde. Reacts with most metals to produce Hydrogen gas which may explode.

10.4. Hazardous Decomposition Products

Will not occur.

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Potassium Hexachloroplatinate (IV)	16921-30-5	Oral LD50 Acute Toxicity Estimate 195 mg/kg (Source: ECHA)
Hydrochloric Acid	7647-01-0	Oral LD50 Rat 700 mg/kg (Source: Canada_WHMIS)
Cobalt (II) Chloride Hexahydrate	7791-13-1	Oral LD50 Rat 161.1mg/kg (Source: Canada_WHMIS)

Acute Toxicity - Dermal Exposure:

Not acutely toxic.

Chemical Name	CAS Number	Toxicity
Hydrochloric Acid	7647-01-0	Dermal LD50 Rabbit >5010 mg/kg (Source: JAPAN_GHS)

Acute Toxicity - Inhalation Exposure:

Inhalation acute toxicity estimate (ATE, dust or mist): 11.6822 mg/L, 4 h(calculated)

Chemical Name	CAS Number	Toxicity
Hydrochloric Acid	7647-01-0	Inhalation LC50 Acute Toxicity Estimate 0.5 mg/L 4 h (Source: ECHA)

11.2 Carcinogenicity:

International Agency for Research on Cancer (IARC)

Chemical Name	CAS Number	Classification
Hydrochloric Acid	7647-01-0	Group 1 (Carcinogenic to Humans) - Monograph 100F [2012]; Monograph 54 [1992] As Acid mists, strong inorganic
Cobalt (II) Chloride Hexahydrate	7791-13-1	Group 2A (Probably Carcinogenic to Humans) - Monograph 131 [2023]; Monograph 86 [2006]; Monograph 52 [1991] As Cobalt(II) soluble salts

National Toxicology Program (NTP)

Chemical Name	CAS Number	Classification
Cobalt (II) Chloride Hexahydrate	7791-13-1	"Reasonably Anticipated To Be A Human Carcinogen (listed under Cobalt-related exposures)" As Cobalt chloride (CoCl ₂) [7646-79-9]; "Reasonably Anticipated To Be A Human Carcinogen (that release cobalt ions in vivo)" As Cobalt compounds [RR-00107-0]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

U.S. OSHA specifically regulated carcinogens

Chemical Name	CAS Number	Classification
No data found.		

11.3 Additional Toxicology Information:

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing cancer. Corrosive to the respiratory tract.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Chemical Name	CAS Number	Species	Exposure	Toxicity
Cobalt (II) Chloride Hexahydrate	7791-13-1	Water Flea	Chronic	"NOEC 21 d Daphnia magna 60.8 µg/L [semi-static] (reproduction, ECHA_API)" As Cobalt chloride (CoCl ₂) [7646-79-9]

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 14: Transportation Information

14.1 Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 1 L, 50 mL, 120 mL, 200 mL, 250 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.2 Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L, 50 mL, 120 mL, 200 mL, 250 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L, 50 mL, 120 mL, 200 mL, 250 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (hydrochloric acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 15: Regulatory Information

15.01. Occupational Safety and Health Administration (OSHA) Hazards

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.02. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chemical Name	CAS Number	RQ	TPQ
Hydrochloric Acid	7647-01-0	500 lb TPQ (gas only)	5000 lb EPCRA RQ (gas only)

15.03. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Chemical Name	CAS Number	Regulatory Information
Hydrochloric Acid	7647-01-0	5000 lb final RQ; 2270 kg final RQ

15.04. Superfund Amendments and Reauthorization Act (SARA) 313 Toxics Release Inventory (TRI)

Chemical Name	CAS Number	List	Regulatory Information
Hydrochloric Acid	7647-01-0	Emission Reporting	1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)
Cobalt (II) Chloride Hexahydrate	7791-13-1	Emission Reporting	"0.1 % de minimis concentration (includes any unique chemical substance that contains Cobalt as part of that chemical's infrastructure, listed under Chemical Category N096)" As Cobalt, inorganic compounds [RR-02516-1]

15.05. Massachusetts Right-to-Know Substance List

Chemical Name	CAS Number	Regulatory Information
Hydrochloric Acid	7647-01-0	Extraordinarily hazardous

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.06. Pennsylvania Right-to-Know Hazardous Substances

Chemical Name	CAS Number	Regulatory Information
Potassium Hexachloroplatinate (IV)	16921-30-5	"Present" As Platinum soluble salts [RR-00046-4]
Hydrochloric Acid	7647-01-0	Environmental hazard
Cobalt (II) Chloride Hexahydrate	7791-13-1	"Environmental hazard" As Cobalt compounds [RR-00107-0]

15.07. New Jersey Worker and Community Right-to-Know Components

Chemical Name	CAS Number	Regulatory Information
Hydrochloric Acid	7647-01-0	sn 1012
Cobalt (II) Chloride Hexahydrate	7791-13-1	"sn 2222" As Cobalt compounds [RR-00107-0]

15.08. California Proposition 65

Chemical Name	CAS Number	Regulatory Information
No data found.		

15.09. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Chemical Name	CAS Number	List	Status
Potassium Hexachloroplatinate (IV)	16921-30-5	DSL	Present
Hydrochloric Acid	7647-01-0	DSL	Present
Water	7732-18-5	DSL	Present
Cobalt (II) Chloride Hexahydrate	7791-13-1	DSL	"Present" As Cobaltous chloride [7646-79-9]

15.10. United States of America Toxic Substances Control Act (TSCA) List

Chemical Name	CAS Number	Status
Potassium Hexachloroplatinate (IV)	16921-30-5	Present (ACTIVE)
Hydrochloric Acid	7647-01-0	Present (ACTIVE)
Water	7732-18-5	Present [XU] (ACTIVE)
Cobalt (II) Chloride Hexahydrate	7791-13-1	"Present (ACTIVE)" As Cobalt chloride (CoCl ₂) [7646-79-9]

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Chemical Name	CAS Number	List	Number
Potassium Hexachloroplatinate (IV)	16921-30-5	EINECS	240-979-3
Hydrochloric Acid	7647-01-0	EINECS	231-595-7
Water	7732-18-5	EINECS	231-791-2
Cobalt (II) Chloride Hexahydrate	7791-13-1	EINECS	"231-589-4" As Cobalt dichloride [7646-79-9]

15.12. China - Inventory of Existing chemical Substances (IECSC)

Chemical Name	CAS Number	Status
Potassium Hexachloroplatinate (IV)	16921-30-5	Present [23297]
Hydrochloric Acid	7647-01-0	Present [37053]
Water	7732-18-5	Present [32224]
Cobalt (II) Chloride Hexahydrate	7791-13-1	Present [23513]

15.13. Korea - Existing Chemicals Inventory (KECI/KECL)

Chemical Name	CAS Number	List	Status
Potassium Hexachloroplatinate (IV)	16921-30-5	Annex 1	Present [KE-12155]
Hydrochloric Acid	7647-01-0	Annex 1	Present [KE-20189]
Water	7732-18-5	Annex 1	Present [KE-35400]
Cobalt (II) Chloride Hexahydrate	7791-13-1	Annex 1	"Present [KE-06095]" As Cobaltous chloride [7646-79-9]

15.14. Japan - Existing and New Chemical Substances Inventory (ENCS)

Chemical Name	CAS Number	MITI No.
Potassium Hexachloroplatinate (IV)	16921-30-5	(1)-1095
Hydrochloric Acid	7647-01-0	(1)-215
Water	7732-18-5	- (listed on Japanese Pharmacopoeia 8th Edition)
Cobalt (II) Chloride Hexahydrate	7791-13-1	(1)-207 (not considered as a new chemical substance)


Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS 2024)

SECTION 16: Other Information

16.1 National Fire Protection Associate (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



16.2 Document Revision

Last Revision Date:
2026-05-22

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.